



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/708,084	02/06/2004	Michael J. French	BMCA9159.340	2083
27062	7590	08/26/2005	EXAMINER	
BOMBARDIER RECREATIONAL PRODUCTS INC. INTELLECTUAL PROPERTY DEPT PO BOX 230 NORTON, VT 05907-0230			PONOMARENKO, NICHOLAS	
			ART UNIT	PAPER NUMBER
			2834	

DATE MAILED: 08/26/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/708,084

Applicant(s)

FRENCH ET AL.

Examiner

Nicholas Ponomarenko

Art Unit

2834

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 February 2004.
2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-25 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.
5) ☐ Claim(s) _____ is/are allowed.
6) ☐ Claim(s) _____ is/are rejected.
7) ☐ Claim(s) _____ is/are objected to.
8) ☒ Claim(s) 1-25 are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____.
5) ☐ Notice of Informal Patent Application (PTO-152)
6) ☐ Other: _____.

Election/Restriction

1. Restriction to one of the following inventions is required under 35 U.S.C. 121:

I. Claims 1-12, drawn to a generator system with a plurality of electronic switches, classified in class 322, subclass 24.

II. Claims 13-20, drawn to a method of operating a voltage regulator of a generator, classified in class 322, subclass 28.

III. Claims 21-25, drawn to an outboard motor structure with an alternator and a regulator, classified in class 290, subclass 1A.

2. The inventions are distinct, each from the other because of the following reasons:

Inventions of Group I through III are unrelated. Inventions are unrelated if it can be shown that they are not disclosed as capable of use together, or they have different modes of operation, or they have different functions, or they have different effects.

(MPEP § 806.04, MPEP § 808.01). In the instant case the different inventions have different functions, modes of operation, and effects.

3. Because these inventions are distinct for the reasons given above and have acquired a separate status in the art because of their recognized divergent subject matter, restriction for examination purposes as indicated is proper.

Art Unit: 2834

4. During a telephone conversation with Mr. Kent L. Barker on August 24, 2005 no election was made to prosecute one of the invention from Groups I through III.

Applicants are required to make an election in replying to this Office action.

Conclusion

5. If the claims are amended, applicant(s) should state in detail where in the original disclosure or in the drawings the amended features find support. **No new matter may be introduced.**

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nicholas Ponomarenko whose telephone number is (571) 272- 2033, Fax: (571) 273-2033, or to his SPE Darren Schuberg – (571) 272-2044.

7. Any inquiry of a general nature or relating to the status of this application should be directed to the Technology Center 2800 Customer Service
Phone: (571) 272-2815

np
August 24, 2005



**Nicholas Ponomarenko
Primary Examiner
Technology Center 2800**